

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block - LA, Sector III, Bidhannagar
Kolkata - 700 098



BMW Authorisation No. :

Memo No. 39 / 2S(BM) - 2010/2006 (Pt-I)

Date 31/10/2018

FORM - III

AUTHORIZATION

(Authorization for operating a facility for generation, Collection, reception, treatment, storage, transport and disposal of biomedical wastes as per the Bio-Medical Waste Management Rules, 2016)

1. M/s. West Bengal Waste Management Ltd. an occupier or operator of the facility located at P.O. Sutahata, P.S. Sutahata, Dist. Purba Medinipur
Pin: - 721 635. is hereby granted an Authorization for:

Activity (Please Tick)

- | | |
|--|---|
| <input type="checkbox"/> Generation, segregation | <input checked="" type="checkbox"/> Treatment or processing or conversion |
| <input checked="" type="checkbox"/> Collection | <input type="checkbox"/> Recycling |
| <input checked="" type="checkbox"/> Storage | <input checked="" type="checkbox"/> Disposal or Destruction |
| <input checked="" type="checkbox"/> Packaging | <input type="checkbox"/> Use |
| <input checked="" type="checkbox"/> Reception | <input type="checkbox"/> Offering for Sale/Transfer |
| <input checked="" type="checkbox"/> Transportation | <input type="checkbox"/> Any other form of Handling |

2. M/s. West Bengal Waste Management Ltd. is hereby authorized for handling of biomedical waste as per the capacity given below:

- | | |
|---|---|
| (i) Number of beds of HCF | N.A. |
| (ii) Number of healthcare facilities covered by CBMWTF | 478 |
| (iii) Installed treatment and disposal capacity | BMW from 20,000 beds + non bedded units as per Sch.-I of Rules. |
| (iv) Area or distance covered by CBMWTF | 150 Km. |
| (v) Quantity of Biomedical waste handled, treated or disposed | 1781 Kg per day |

Type of Waste Category

- Yellow
Red
White (Translucent)
Blue

Quantity permitted for Handling

478	

3. This Authorization shall be in force for a period up to 31/12/2022 from the date of issue.
4. This Authorization is subject to the conditions stated overleaf and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Bou
Authorised Signatory of the State Board
Chief Engineer
West Bengal Pollution Control Board

Terms and conditions of Authorization :

1. The Authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The Authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, end, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his Authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions as may be stipulated by the prescribed authority.

Additional Conditions :

1. The occupier/operator must handle & manage bio-medical wastes as prescribed in the Bio-medical Waste Management Rules, 2016 and take all steps to ensure that such waste is handled without any adverse effect to human health & the environment.
2. The occupier shall handle mercury bearing waste as per guidelines issued by CPCB for the "Environmentally Sound Management of Mercury Waste Generated from the Health Care Facilities".
3. Every authorized person shall maintain record related to generation, collection, temporary storage of bio-medical wastes in accordance with rules.
4. No untreated waste shall be stored onsite for more than 48 hours.
5. The applicant shall submit an Annual Report in Form-IV to the Board by 30th June every year as required under the provisions (Rule-13) of the Bio-medical Waste Management Rules, 2016.
6. The West Bengal Pollution Control Board reserves its right to revoke, withdraw, make any reasonable variation of the conditions of change or alter this 'Authorization'.
7. Application for renewal of Authorization shall be filed at least 60 (sixty) days before the date of expiry of this Authorisation.
8. The Operator shall comply with all provisions of the BMW Rules, 2016 and submit compliance reports regularly as mandated in the Rules.


(Authorized Signatory of the State Board)
Chief Engineer
West Bengal Pollution Control Board